

Ryman Patch Sheet

RYMAN AUDITORIUM

Brandon Webb, Lighting Director

| Univ | DM | U# | Mode | QTY | Purpose | Type | Position |
|----------|-----|----|------|-----|----------|--------|----------|
| 1 | | | | | | | |
| 1 | 162 | 1 | | 0 | Audience | 64 WFL | FOH L17 |
| 1 | 162 | 2 | | 0 | Audience | 64 WFL | FOH L17 |
| 1 | 166 | 1 | | 0 | Audience | 64 WFL | FOH L18 |
| 1 | 166 | 2 | | 0 | Audience | 64 WFL | FOH L18 |
| 1 | 170 | 1 | | 0 | Audience | 64 WFL | FOH L19 |
| 1 | 170 | 2 | | 0 | Audience | 64 WFL | FOH L19 |
| 1 | 172 | 1 | | 0 | Audience | 64 WFL | FOH L20 |
| 1 | 172 | 2 | | 0 | Audience | 64 WFL | FOH L20 |
| 1 | 175 | 1 | | 0 | Audience | 64 WFL | FOH L21 |
| 1 | 175 | 2 | | 0 | Audience | 64 WFL | FOH L21 |
| 1 | 178 | 1 | | 0 | Audience | 64 WFL | FOH L22 |
| 1 | 178 | 2 | | 0 | Audience | 64 WFL | FOH L22 |
| 1 | 180 | 1 | | 0 | Audience | 64 WFL | FOH L23 |
| 1 | 180 | 2 | | 0 | Audience | 64 WFL | FOH L23 |
| 1 | 185 | 1 | | 0 | Audience | 64 WFL | FOH L24 |
| 1 | 185 | 2 | | 0 | Audience | 64 WFL | FOH L24 |

| Univ | DM | U# | Mode | QTY | Purpose | Type | Position |
|-----------|-----|----|------|-----|----------|--------|------------|
| 11 | | | | | | | |
| 1 | 193 | 4 | | 0 | Audience | 64 WFL | FOH L1 TOP |
| 1 | 193 | 14 | | 0 | Audience | 64 WFL | FOH L1 |
| 1 | 194 | 10 | | 0 | Audience | 64 WFL | FOH L1 |
| 1 | 194 | 3 | | 0 | Audience | 64 WFL | FOH L1 TOP |
| 1 | 195 | 7 | | 0 | Audience | 64 WFL | FOH L1 |
| 1 | 195 | 2 | | 0 | Audience | 64 WFL | FOH L1 TOP |
| 1 | 196 | 3 | | 0 | Audience | 64 WFL | FOH L1 |
| 1 | 196 | 1 | | 0 | Audience | 64 WFL | FOH L1 TOP |
| 1 | 197 | 4 | | 0 | Audience | 64 WFL | FOH L2 TOP |
| 1 | 197 | 13 | | 0 | Audience | 64 WFL | FOH L2 |
| 1 | 198 | 9 | | 0 | Audience | 64 WFL | FOH L2 |
| 1 | 198 | 3 | | 0 | Audience | 64 WFL | FOH L2 TOP |
| 1 | 199 | 7 | | 0 | Audience | 64 WFL | FOH L2 |
| 1 | 199 | 2 | | 0 | Audience | 64 WFL | FOH L2 TOP |
| 1 | 200 | 3 | | 0 | Audience | 64 WFL | FOH L2 |
| 1 | 200 | 1 | | 0 | Audience | 64 WFL | FOH L2 TOP |
| 1 | 201 | 12 | | 0 | Audience | 64 WFL | FOH L3 |
| 1 | 201 | 4 | | 0 | Audience | 64 WFL | FOH L3 TOP |
| 1 | 202 | 8 | | 0 | Audience | 64 WFL | FOH L3 |
| 1 | 202 | 3 | | 0 | Audience | 64 WFL | FOH L3 TOP |
| 1 | 203 | 6 | | 0 | Audience | 64 WFL | FOH L3 |
| 1 | 203 | 2 | | 0 | Audience | 64 WFL | FOH L3 TOP |
| 1 | 204 | 1 | | 0 | Audience | 64 WFL | FOH L3 TOP |
| 1 | 204 | 2 | | 0 | Audience | 64 WFL | FOH L3 |
| 1 | 205 | 14 | | 0 | Audience | 64 WFL | FOH L4 |
| 1 | 205 | 4 | | 0 | Audience | 64 WFL | FOH L4 TOP |
| 1 | 206 | 10 | | 0 | Audience | 64 WFL | FOH L4 |
| 1 | 206 | 3 | | 0 | Audience | 64 WFL | FOH L4 TOP |
| 1 | 207 | 7 | | | Audience | 64 WFL | FOH L4 |

| Univ | DM | U# | Mode | QTY | Purpose | Type | Position |
|-----------|-----|----|------|-----|----------|--------|------------|
| 11 | | | | | | | |
| 1 | 207 | 2 | | 0 | Audience | 64 WFL | FOH L4 TOP |
| 1 | 208 | 3 | | 0 | Audience | 64 WFL | FOH L4 |
| 1 | 208 | 1 | | 0 | Audience | 64 WFL | FOH L4 TOP |
| 1 | 209 | 3 | | 0 | Audience | 64 WFL | FOH L5 TOP |
| 1 | 209 | 2 | | 0 | Audience | 64 WFL | FOH L5 TOP |
| 1 | 209 | 1 | | 0 | Audience | 64 WFL | FOH L5 TOP |
| 1 | 216 | 1 | | 0 | Audience | 64 WFL | FOH L6 TOP |
| 1 | 216 | 2 | | 0 | Audience | 64 WFL | FOH L6 TOP |
| 1 | 216 | 3 | | 0 | Audience | 64 WFL | FOH L6 TOP |

| | | | | | | | |
|-----------|----|----|--|---|------|--------|--------|
| 31 | | | | | | | |
| 1 | 1 | 16 | | 0 | gmot | 64 WFL | FOH L1 |
| 1 | 2 | 15 | | 0 | gmot | 64 WFL | FOH L1 |
| 1 | 47 | 2 | | 0 | gmot | 64 WFL | FOH L4 |
| 1 | 48 | 1 | | 0 | gmot | 64 WFL | FOH L4 |

| | | | | | | | |
|-----------|-----|----|--------|---|--------------|-----------------|---------------|
| 51 | | | | | | | |
| 8 | 457 | 10 | ARC2+S | 0 | Ceiling Pars | Chvt Clr 1 tour | HL spot booth |
| 8 | 463 | 8 | ARC2+S | 0 | Ceiling Pars | Chvt Clr 1 tour | HL spot booth |
| 8 | 469 | 4 | ARC2+S | 0 | Ceiling Pars | Chvt Clr 1 tour | HL spot booth |
| 8 | 475 | 1 | ARC2+S | 0 | Ceiling Pars | Chvt Clr 1 tour | HL spot booth |
| 8 | 481 | 10 | ARC2+S | 0 | Ceiling Pars | Chvt Clr 1 tour | HR spot booth |
| 8 | 487 | 7 | ARC2+S | 0 | Ceiling Pars | Chvt Clr 1 tour | HR spot booth |
| 8 | 493 | 3 | ARC2+S | 0 | Ceiling Pars | Chvt Clr 1 tour | HR spot booth |
| 8 | 499 | 1 | ARC2+S | 0 | Ceiling Pars | Chvt Clr 1 tour | HR spot booth |

Ryman Patch Sheet

| Univ | DM | U# | Mode | QTY | Purpose | Type | Position |
|-----------|-----|----|------|-----|---------|----------|----------|
| 61 | | | | | | | |
| 1 | 73 | 24 | | 0 | | S4 36deg | 1st Elec |
| 1 | 74 | 23 | | 0 | | S4 36deg | 1st Elec |
| 1 | 75 | 25 | | 0 | | S4 36deg | 1st Elec |
| 1 | 76 | 21 | | 0 | | S4 36deg | 1st Elec |
| 1 | 77 | 20 | | 0 | | S4 36deg | 1st Elec |
| 1 | 78 | 19 | | 0 | | S4 36deg | 1st Elec |
| 1 | 79 | 18 | | 0 | | S4 36deg | 1st Elec |
| 1 | 80 | 17 | | 0 | | S4 36deg | 1st Elec |
| 1 | 81 | 16 | | 0 | | S4 36deg | 1st Elec |
| 1 | 82 | 14 | | 0 | | S4 36deg | 1st Elec |
| 1 | 83 | 13 | | 0 | | S4 36deg | 1st Elec |
| 1 | 84 | 12 | | 0 | | S4 36deg | 1st Elec |
| 1 | 85 | 10 | | 0 | | S4 36deg | 1st Elec |
| 1 | 86 | 8 | | 0 | | S4 36deg | 1st Elec |
| 1 | 87 | 7 | | 0 | | S4 36deg | 1st Elec |
| 1 | 88 | 6 | | 0 | | S4 36deg | 1st Elec |
| 1 | 89 | 5 | | 0 | | S4 36deg | 1st Elec |
| 1 | 90 | 2 | | 0 | | S4 36deg | 1st Elec |
| 1 | 91 | 1 | | 0 | | S4 36deg | 1st Elec |
| 1 | 219 | 9 | | 0 | | S4 36deg | 1st Elec |
| 1 | 220 | 3 | | 0 | | S4 36deg | 1st Elec |

| | | | | | | | |
|-----------|-----|---|--|---|-------|----------|---------------|
| 91 | | | | | | | |
| 1 | 265 | 5 | | 0 | Steps | S4 10deg | HL spot booth |
| 1 | 266 | 6 | | 0 | Steps | S4 10deg | HR spot booth |

| | | | | | | | |
|------------|-----|---|--|---|----------|----------|---------------|
| 101 | | | | | | | |
| 1 | 263 | 6 | | 0 | Pro Gobo | S4 10deg | HL spot booth |
| 1 | 268 | 5 | | 0 | Pro Gobo | S4 10deg | HR spot booth |

| Univ | DM | U# | Mode | QTY | Purpose | Type | Position |
|------------|----|----|------|-----|---------|----------|----------|
| 111 | | | | | | | |
| 1 | 15 | 12 | | 0 | gmot | S4 10deg | FOH L2 |
| 1 | 16 | 11 | | 0 | gmot | S4 10deg | FOH L2 |
| 1 | 24 | 1 | | 0 | gmot | S4 10deg | FOH L2 |
| 1 | 33 | 4 | | 0 | gmot | S4 10deg | FOH L3 |
| 1 | 34 | 3 | | 0 | gmot | S4 10deg | FOH L3 |

| | | | | | | | |
|------------|----|----|--|---|------|----------|--------|
| 121 | | | | | | | |
| 1 | 3 | 13 | | 0 | gmot | S4 19deg | FOH L1 |
| 1 | 4 | 12 | | 0 | gmot | S4 19deg | FOH L1 |
| 1 | 5 | 11 | | 0 | gmot | S4 19deg | FOH L1 |
| 1 | 6 | 9 | | 0 | gmot | S4 19deg | FOH L1 |
| 1 | 7 | 8 | | 0 | gmot | S4 19deg | FOH L1 |
| 1 | 8 | 6 | | 0 | gmot | S4 19deg | FOH L1 |
| 1 | 9 | 5 | | 0 | gmot | S4 19deg | FOH L1 |
| 1 | 10 | 4 | | 0 | gmot | S4 19deg | FOH L1 |
| 1 | 11 | 2 | | 0 | gmot | S4 19deg | FOH L1 |
| 1 | 12 | 1 | | 0 | gmot | S4 19deg | FOH L1 |

| | | | | | | | |
|------------|----|----|--|---|------|----------|--------|
| 131 | | | | | | | |
| 1 | 37 | 16 | | 0 | gmot | S4 19deg | FOH L4 |
| 1 | 38 | 15 | | 0 | gmot | S4 19deg | FOH L4 |
| 1 | 39 | 13 | | 0 | gmot | S4 19deg | FOH L4 |
| 1 | 40 | 12 | | 0 | gmot | S4 19deg | FOH L4 |
| 1 | 41 | 11 | | 0 | gmot | S4 19deg | FOH L4 |
| 1 | 42 | 9 | | 0 | gmot | S4 19deg | FOH L4 |
| 1 | 43 | 8 | | 0 | gmot | S4 19deg | FOH L4 |
| 1 | 44 | 6 | | 0 | gmot | S4 19deg | FOH L4 |
| 1 | 45 | 5 | | 0 | gmot | S4 19deg | FOH L4 |
| 1 | 46 | 4 | | 0 | gmot | S4 19deg | FOH L4 |

Ryman Patch Sheet

| Univ | DM | U# | Mode | QTY | Purpose | Type | Position |
|------------|-----|----|------|-----|-------------------|-----------|----------|
| 141 | | | | | | | |
| 4 | 502 | 17 | | 0 | Work Lights; NT:2 | CS Par MO | 2nd Elec |
| 4 | 502 | 1 | | 0 | Work Lights; NT:2 | CS Par MO | 2nd Elec |
| 4 | 502 | 12 | | 5 | Work Lights; NT:2 | CS Par MO | 2nd Elec |
| 4 | 502 | 16 | | 5 | Work Lights; NT:2 | CS Par MO | 2nd Elec |
| 4 | 502 | 6 | | 5 | Work Lights; NT:2 | CS Par MO | 2nd Elec |
| 4 | 502 | 2 | | 5 | Work Lights; NT:2 | CS Par MO | 2nd Elec |
| 6 | 507 | 18 | | 0 | Work Lights; NT:4 | CS Par MO | 4th Elec |
| 6 | 507 | 1 | | 0 | Work Lights; NT:4 | CS Par MO | 4th Elec |
| 6 | 507 | 12 | | 5 | Work Lights; NT:4 | CS Par MO | 4th Elec |
| 6 | 507 | 17 | | 5 | Work Lights; NT:4 | CS Par MO | 4th Elec |
| 6 | 507 | 7 | | 5 | Work Lights; NT:4 | CS Par MO | 4th Elec |
| 6 | 507 | 2 | | 5 | Work Lights; NT:4 | CS Par MO | 4th Elec |

NOTES:

- 2. Patched in Console @ 12.496; output to Pipe/Fixture as 4.502
- 4. Patched in Console @ 12.496; output to Pipe/Fixture as 4.506

| Univ | DM | U# | Mode | QTY | Purpose | Type | Position |
|------------|-----|----|----------|-----|---------|--------|----------|
| 201 | | | | | | | |
| 2 | 1 | 14 | Standard | 38 | | Ghibli | FOH L2 |
| 2 | 39 | 10 | Standard | 38 | | Ghibli | FOH L2 |
| 2 | 77 | 8 | Standard | 38 | | Ghibli | FOH L2 |
| 2 | 115 | 6 | Standard | 38 | | Ghibli | FOH L2 |
| 2 | 153 | 4 | Standard | 38 | | Ghibli | FOH L2 |
| 2 | 191 | 2 | Standard | 38 | | Ghibli | FOH L2 |
| 2 | 229 | 13 | Standard | 38 | | Ghibli | FOH L3 |
| 2 | 267 | 11 | Standard | 38 | | Ghibli | FOH L3 |
| 2 | 305 | 9 | Standard | 38 | | Ghibli | FOH L3 |
| 2 | 343 | 7 | Standard | 38 | | Ghibli | FOH L3 |
| 2 | 381 | 5 | Standard | 38 | | Ghibli | FOH L3 |
| 2 | 419 | 1 | Standard | 38 | | Ghibli | FOH L3 |
| 3 | 337 | 5 | Standard | 38 | | Ghibli | FOH L5 |
| 3 | 375 | 2 | Standard | 38 | | Ghibli | FOH L5 |
| 3 | 413 | 9 | Standard | 38 | | Ghibli | FOH L6 |
| 3 | 451 | 6 | Standard | 38 | | Ghibli | FOH L6 |
| 7 | 1 | 9 | Standard | 38 | | Ghibli | 5th Elec |

Ryman Patch Sheet

| Univ | DM | U# | Mode | QTY | Purpose | Type | Position |
|------------|-----|----|--------|-----|---------|------|----------|
| 221 | | | | | | | |
| 3 | 1 | 10 | Mode 3 | 21 | wash | R3 | FOH L5 |
| 3 | 22 | 9 | Mode 3 | 21 | wash | R3 | FOH L5 |
| 3 | 43 | 8 | Mode 3 | 21 | wash | R3 | FOH L5 |
| 3 | 64 | 7 | Mode 3 | 21 | wash | R3 | FOH L5 |
| 3 | 85 | 6 | Mode 3 | 21 | wash | R3 | FOH L5 |
| 3 | 106 | 4 | Mode 3 | 21 | wash | R3 | FOH L5 |
| 3 | 127 | 3 | Mode 3 | 21 | wash | R3 | FOH L5 |
| 3 | 148 | 1 | Mode 3 | 21 | wash | R3 | FOH L5 |
| 3 | 169 | 10 | Mode 3 | 21 | wash | R3 | FOH L6 |
| 3 | 190 | 8 | Mode 3 | 21 | wash | R3 | FOH L6 |
| 3 | 211 | 7 | Mode 3 | 21 | wash | R3 | FOH L6 |
| 3 | 232 | 5 | Mode 3 | 21 | wash | R3 | FOH L6 |
| 3 | 253 | 4 | Mode 3 | 21 | wash | R3 | FOH L6 |
| 3 | 274 | 3 | Mode 3 | 21 | wash | R3 | FOH L6 |
| 3 | 295 | 2 | Mode 3 | 21 | wash | R3 | FOH L6 |
| 3 | 316 | 1 | Mode 3 | 21 | wash | R3 | FOH L6 |

| | | | | | | | |
|------------|-----|----|--------|----|--|----|----------|
| 241 | | | | | | | |
| 4 | 181 | 15 | Mode 3 | 21 | | R3 | 2nd Elec |
| 4 | 202 | 13 | Mode 3 | 21 | | R3 | 2nd Elec |
| 4 | 223 | 10 | Mode 3 | 21 | | R3 | 2nd Elec |
| 4 | 244 | 8 | Mode 3 | 21 | | R3 | 2nd Elec |
| 4 | 265 | 5 | Mode 3 | 21 | | R3 | 2nd Elec |
| 4 | 286 | 3 | Mode 3 | 21 | | R3 | 2nd Elec |

| Univ | DM | U# | Mode | QTY | Purpose | Type | Position |
|------------|-----|----|--------|-----|---------|------|----------|
| 251 | | | | | | | |
| 5 | 205 | 15 | Mode 3 | 21 | | R3 | 3rd Elec |
| 5 | 226 | 13 | Mode 3 | 21 | | R3 | 3rd Elec |
| 5 | 247 | 11 | Mode 3 | 21 | | R3 | 3rd Elec |
| 5 | 268 | 7 | Mode 3 | 21 | | R3 | 3rd Elec |
| 5 | 289 | 5 | Mode 3 | 21 | | R3 | 3rd Elec |
| 5 | 310 | 3 | Mode 3 | 21 | | R3 | 3rd Elec |

| | | | | | | | |
|------------|-----|----|--------|----|--|----|----------|
| 261 | | | | | | | |
| 6 | 169 | 15 | Mode 3 | 21 | | R3 | 4th Elec |
| 6 | 190 | 13 | Mode 3 | 21 | | R3 | 4th Elec |
| 6 | 211 | 10 | Mode 3 | 21 | | R3 | 4th Elec |
| 6 | 232 | 9 | Mode 3 | 21 | | R3 | 4th Elec |
| 6 | 253 | 6 | Mode 3 | 21 | | R3 | 4th Elec |
| 6 | 274 | 4 | Mode 3 | 21 | | R3 | 4th Elec |

| | | | | | | | |
|------------|-----|----|--------|----|--|----|----------|
| 271 | | | | | | | |
| 7 | 207 | 15 | Mode 3 | 21 | | R3 | 5th Elec |
| 7 | 228 | 13 | Mode 3 | 21 | | R3 | 5th Elec |
| 7 | 249 | 10 | Mode 3 | 21 | | R3 | 5th Elec |
| 7 | 270 | 8 | Mode 3 | 21 | | R3 | 5th Elec |
| 7 | 291 | 5 | Mode 3 | 21 | | R3 | 5th Elec |
| 7 | 312 | 3 | Mode 3 | 21 | | R3 | 5th Elec |

| Univ | DM | U# | Mode | QTY | Purpose | Type | Position |
|------------|-----|----|----------|-----|---------|--------|----------|
| 301 | | | | | | | |
| 4 | 1 | 14 | Standard | 36 | | Diablo | 2nd Elec |
| 4 | 37 | 11 | Standard | 36 | | Diablo | 2nd Elec |
| 4 | 73 | 9 | Standard | 36 | | Diablo | 2nd Elec |
| 4 | 109 | 7 | Standard | 36 | | Diablo | 2nd Elec |
| 4 | 145 | 4 | Standard | 36 | | Diablo | 2nd Elec |
| 5 | 1 | 9 | Standard | 36 | | Diablo | 3rd Elec |

| | | | | | | | |
|------------|-----|----|----------|----|--|-----------|----------|
| 311 | | | | | | | |
| 5 | 37 | 17 | Standard | 28 | | Mistral-S | 3rd Elec |
| 5 | 65 | 14 | Standard | 28 | | Mistral-S | 3rd Elec |
| 5 | 93 | 12 | Standard | 28 | | Mistral-S | 3rd Elec |
| 5 | 121 | 6 | Standard | 28 | | Mistral-S | 3rd Elec |
| 5 | 149 | 4 | Standard | 28 | | Mistral-S | 3rd Elec |
| 5 | 177 | 1 | Standard | 28 | | Mistral-S | 3rd Elec |

| | | | | | | | |
|------------|-----|----|----------|----|--|-----------|----------|
| 321 | | | | | | | |
| 6 | 1 | 16 | Standard | 28 | | Mistral-S | 4th Elec |
| 6 | 29 | 14 | Standard | 28 | | Mistral-S | 4th Elec |
| 6 | 57 | 11 | Standard | 28 | | Mistral-S | 4th Elec |
| 6 | 85 | 8 | Standard | 28 | | Mistral-S | 4th Elec |
| 6 | 113 | 5 | Standard | 28 | | Mistral-S | 4th Elec |
| 6 | 141 | 3 | Standard | 28 | | Mistral-S | 4th Elec |

| Univ | DM | U# | Mode | QTY | Purpose | Type | Position |
|------------|-----|----|----------|-----|---------|-----------|----------|
| 331 | | | | | | | |
| 7 | 39 | 16 | Standard | 28 | | Mistral-S | 5th Elec |
| 7 | 67 | 14 | Standard | 28 | | Mistral-S | 5th Elec |
| 7 | 95 | 11 | Standard | 28 | | Mistral-S | 5th Elec |
| 7 | 123 | 7 | Standard | 28 | | Mistral-S | 5th Elec |
| 7 | 151 | 4 | Standard | 28 | | Mistral-S | 5th Elec |
| 7 | 179 | 2 | Standard | 28 | | Mistral-S | 5th Elec |

| | | | | | | | |
|------------|----|---|----------|----|--|------|------------|
| 401 | | | | | | | |
| 8 | 1 | 1 | Standard | 14 | | Aura | Floor wash |
| 8 | 15 | 2 | Standard | 14 | | Aura | Floor wash |
| 8 | 29 | 3 | Standard | 14 | | Aura | Floor wash |
| 8 | 43 | 4 | Standard | 14 | | Aura | Floor wash |
| 8 | 57 | 5 | Standard | 14 | | Aura | Floor wash |
| 8 | 71 | 6 | Standard | 14 | | Aura | Floor wash |
| 8 | 85 | 7 | Standard | 14 | | Aura | Floor wash |
| 8 | 99 | 8 | Standard | 14 | | Aura | Floor wash |

| | | | | | | | |
|------------|-----|---|--------|----|--|---------|---------------|
| 411 | | | | | | | |
| 8 | 113 | 9 | Normal | 18 | | GLP X4S | HL spot booth |
| 8 | 131 | 7 | Normal | 18 | | GLP X4S | HL spot booth |
| 8 | 149 | 3 | Normal | 18 | | GLP X4S | HL spot booth |
| 8 | 167 | 2 | Normal | 18 | | GLP X4S | HL spot booth |
| 8 | 185 | 9 | Normal | 18 | | GLP X4S | HR spot booth |
| 8 | 203 | 8 | Normal | 18 | | GLP X4S | HR spot booth |
| 8 | 221 | 4 | Normal | 18 | | GLP X4S | HR spot booth |
| 8 | 239 | 2 | Normal | 18 | | GLP X4S | HR spot booth |

| Univ | DM | U# | Mode | QTY | Purpose | Type | Position |
|------------|-----|----|--------|-----|---------|------|-------------|
| 421 | | | | | | | |
| 8 | 257 | 1 | mode 2 | 25 | | DLX | Floor spots |
| 8 | 282 | 2 | mode 2 | 25 | | DLX | Floor spots |
| 8 | 307 | 3 | mode 2 | 25 | | DLX | Floor spots |
| 8 | 332 | 4 | mode 2 | 25 | | DLX | Floor spots |
| 8 | 357 | 5 | mode 2 | 25 | | DLX | Floor spots |
| 8 | 382 | 6 | mode 2 | 25 | | DLX | Floor spots |
| 8 | 407 | 7 | mode 2 | 25 | | DLX | Floor spots |
| 8 | 432 | 8 | mode 2 | 25 | | DLX | Floor spots |

| | | | | | | | |
|------------|-----|---|-------------|----|--------------|-------------|------------|
| 501 | | | | | | | |
| 9 | 1 | 7 | Mode 4 | 48 | CYC Up light | CQ CF 72 | Ground Row |
| 9 | 49 | 6 | Mode 4 | 48 | CYC Up light | CQ CF 72 | Ground Row |
| 9 | 97 | 5 | Mode 4 | 48 | CYC Up light | CQ CF 72 | Ground Row |
| 9 | 145 | 4 | Mode 4 | 48 | CYC Up light | CQ CF 72 | Ground Row |
| 9 | 193 | 3 | Mode 4 | 48 | CYC Up light | CQ CF 72 | Ground Row |
| 9 | 241 | 2 | Mode 4 | 48 | CYC Up light | CQ CF 72 | Ground Row |
| 9 | 289 | 1 | Mode 4 | 48 | CYC Up light | CQ CF 72 | Ground Row |
| 10 | 1 | 7 | RGBA x2 off | 48 | Cyc top | CQ CF II 72 | CYC pipe |
| 10 | 49 | 6 | RGBA x2 off | 48 | Cyc top | CQ CF II 72 | CYC pipe |
| 10 | 97 | 5 | RGBA x2 off | 48 | Cyc top | CQ CF II 72 | CYC pipe |
| 10 | 145 | 4 | RGBA x2 off | 48 | Cyc top | CQ CF II 72 | CYC pipe |
| 10 | 193 | 3 | RGBA x2 off | 48 | Cyc top | CQ CF II 72 | CYC pipe |
| 10 | 241 | 2 | RGBA x2 off | 48 | Cyc top | CQ CF II 72 | CYC pipe |
| 10 | 289 | 1 | RGBA x2 off | 48 | Cyc top | CQ CF II 72 | CYC pipe |

| Univ | DM | U# | Mode | QTY | Purpose | Type | Position |
|------------|-----|----|------|-----|---------|-----------|----------|
| 701 | | | | | | | |
| 7 | 333 | 17 | 4ch | 4 | Strobes | Atomic 3K | 5th Elec |
| 7 | 337 | 12 | 4ch | 4 | Strobes | Atomic 3K | 5th Elec |
| 7 | 341 | 6 | 4ch | 4 | Strobes | Atomic 3K | 5th Elec |
| 7 | 345 | 1 | 4ch | 4 | Strobes | Atomic 3K | 5th Elec |

| | | | | | | | |
|------------|-----|----|------|---|---------|-----------------|----------|
| 705 | | | | | | | |
| 5 | 451 | 16 | 8 ch | 8 | Strobes | Elat Pro 3K Clr | 3rd Elec |
| 5 | 459 | 10 | 8 ch | 8 | Strobes | Elat Pro 3K Clr | 3rd Elec |
| 5 | 467 | 8 | 8 ch | 8 | Strobes | Elat Pro 3K Clr | 3rd Elec |
| 5 | 475 | 2 | 8 ch | 8 | Strobes | Elat Pro 3K Clr | 3rd Elec |

| | | | | | | | |
|------------|-----|----|--|---|----------|-----|----------|
| 711 | | | | | | | |
| 7 | 349 | 22 | | 4 | Audience | WW2 | 1st Elec |
| 7 | 353 | 15 | | 4 | Audience | WW2 | 1st Elec |
| 7 | 357 | 11 | | 4 | Audience | WW2 | 1st Elec |
| 7 | 361 | 4 | | 4 | Audience | WW2 | 1st Elec |

| | | | | | | | |
|------------|-----|---|-----|---|--|----------------|-------|
| 801 | | | | | | | |
| 5 | 504 | 1 | 2ch | 2 | | Base Hazer Pro | Flown |
| 5 | 506 | 1 | 2ch | 2 | | Base Hazer Pro | Flown |

| | | | | | | | |
|------------|-----|----|-------|---|-------------|----------------|--------|
| 901 | | | | | | | |
| 2 | 511 | 5 | Quick | 1 | Photo Light | S4 LEDTS 10deg | FOH L2 |
| 2 | 512 | 10 | Quick | 1 | Photo Light | S4 LEDTS 10deg | FOH L3 |

| Univ | DM | U# | Mode | QTY | Purpose | Type | Position |
|------------|-----|----|------------------------|-----|-----------|--------------------|--------------|
| 931 | | | | | | | |
| 12 | 89 | 1 | RGB strb on fan auto+7 | 15 | Balc Rail | S4 LEDTS 26deg | Balc rail HL |
| 12 | 89 | 3 | RGB strb on fan auto+7 | 15 | Balc Rail | S4 LED2LS 36deg | Balc rail HL |
| 12 | 89 | 2 | RGB strb on fan auto+7 | 15 | Balc Rail | S4 LED2LS 36deg | Balc rail HL |
| 12 | 104 | 3 | RGB strb on fan auto+7 | 15 | Balc Rail | S4 LED2LS 36deg | Balc Rail HR |
| 12 | 104 | 2 | RGB strb on fan auto+7 | 15 | Balc Rail | S4 LED2LS 36deg | Balc Rail HR |
| 12 | 104 | 1 | RGB strb on fan auto+7 | 15 | Balc Rail | S4 LEDTS 26deg | Balc Rail HR |

| Univ | DM | U# | Mode | QTY | Purpose | Type | Position |
|-------------|-----|----|--------|-----|---------|-------|------------|
| 1021 | | | | | | | |
| 5 | 331 | 1 | Mode 1 | 10 | | Wells | Floor Arch |
| 5 | 341 | 2 | Mode 1 | 10 | | Wells | Floor Arch |
| 5 | 351 | 3 | Mode 1 | 10 | | Wells | Floor Arch |
| 5 | 361 | 4 | Mode 1 | 10 | | Wells | Floor Arch |
| 5 | 371 | 5 | Mode 1 | 10 | | Wells | Floor Arch |
| 5 | 381 | 6 | Mode 1 | 10 | | Wells | Floor Arch |
| 5 | 391 | 7 | Mode 1 | 10 | | Wells | Floor Arch |
| 5 | 401 | 8 | Mode 1 | 10 | | Wells | Floor Arch |
| 5 | 411 | 9 | Mode 1 | 10 | | Wells | Floor Arch |
| 5 | 421 | 10 | Mode 1 | 10 | | Wells | Floor Arch |
| 5 | 431 | 11 | Mode 1 | 10 | | Wells | Floor Arch |
| 5 | 441 | 12 | Mode 1 | 10 | | Wells | Floor Arch |